



The Leader of Luxury Pool
Innovation & Healthy Pool



J.D.POOLS GROUP

WORRY-FREE
Pool Living Experience

Since 1997 | ISO 9001

www.jdpools.com




Table of Content



About us

Pool Type

- iP Smart Pool
- iP Da Vinci Pool
- iP Crystal Pool
- Composite Pool
- Cardio Pool
- Family Pool
- Aqua Touch
- iSteel Pool
- Pool Filter

Option

- Salt Chlorinator
- Salt-At Chlorinator
- Mineral Swim
- Fastlane
- Automatic Pool Cover
- Manual Safety Pool Cover
- Slatted Pool Covers
- Pool Heating
- Pool Cleaning Robot



We're Pool Specialists

J.D.Pools Group Company of Thai has established since 1997 in Phuket and is new Technology originator of swimming pools into Thai market. It has never stopped the development of Technology.

Our customer has both of small and large project like individual house, village project, condominium and resort.

Why J.D.Pools Technology

- ✓ Over 28 years experience
- ✓ Constructed more than 18,500 pools
- ✓ The 1st ISO Pools Company in Thailand
- ✓ No.1 Network of Quality Pool and Service
- ✓ The only one pool exporter from Thailand
- ✓ We are the largest swimming pool manufacturer in ASEAN.





ISO 9001:2015 Certified

As a world-class pool manufacturer, J.D.Pools produces a complete series of pool products—from smart pool panel made from Polypropylene, pool filter, Composite pools and complete pool accessories – in its own production facilities. This allows us to assure that our customers are fully supported with quality products and services. Indeed, J.D.Pools is the first swimming pool company in Thailand to receive ISO 9000:2015 certified by UKAS Management Systems



Pool Factory & Training Center

We are the largest swimming pool manufacturer in ASEAN. The swimming pool panel, fiberglass pool, filter and other accessories are manufactured in a 20,000 m² factory in Phuket, Thailand.



Pool Factory & Training Center






Green Industry Certified

J.D.Pools has been certified by the Ministry of Industry as a **"Level 2 Green Industry (Green Activity)"** successfully carrying out activities to reduce environmental impact as committed.

No.1 Quality Pool Network

J.D.Pools is now Thailand's largest pool builder and maintenance network, with 22 showrooms operating across Thailand. All showroom comprises of the real pool sample and retail stores, owned by experienced pool professional at local and regional levels.




Bangkok	Nakhon Si Thammarat
Chiang Mai	Pak Chong
Chiang Rai	Phitsanulok
Hat Yai	Phuket
Hua Hin	Rayong
Kanchanaburi	Samui
Khon Kaen	Samut Prakan
Koh Chang	Saraburi
Krabi	Surat Thani
Nakhon Ratchasima	Ubon Ratchathani
Nakhon Sawan	Udon Thani

Worldwide Expansion

We export our pools to more than 20 countries

The only one pool exporter from Thailand with our highest manufacturing standard, we are the only swimming pool company launches product to the world market.



iP Pool Series

Pool Type of iPanel Liner Pool



iP Smart

Personal Imagination
Express your style in custom
shaped pool



Da Vinci Blue

The revolutionary of swimming
pool. When luxury and technology
fused into one



Crystal Pool

Premium tiled pool, installed using
special technology and
techniques




iP Smart

Personal Imagination - Concrete Strength
PVC Liner Safe & Softness



Since 1997 | ISO 9001

www.jdpools.com



iP Smart

Express your style in custom shaped pool. The core strength of every J.D.Pools swimming pool comes from our patented permanent intelligent panel, reinforced and finished with concrete. Perfectly fits the entire inner surface with a leak-free PVC liner, turning every moment in your pool into a relaxing experience.



No more issues
with pool
subsidence and
cracking




100% leak-proof
prevention



10-year
warranty

3 Advantages of iP Concept



1 iPanel (Intelligent Panel)
With Concrete :
10 Year Structural Warranty

2 J.D.Pools Liner (Pool finishing) :
10 Year Warranty


3 Filtration System
TE Filter - Technology Embedded

1


Injection Panel

iPanel (Intelligent Panel) With Concrete :
10 Year Structural Warranty

- > Produced by polypropylene combined with concrete
- > Can be designed for any size and shape
- > Durability – no cracks or leaks from ground movement
- > 10-year warranty on iPanel structure




Injection Panel




Front



Back



Corner





Petty Patent of Injection Panel

Intelligent Injection Panel or walls for swimming pools, have been registered as intellectual property under J.D.Pools' "**Petty Patent.**"

2

PVC Liner

J.D.Pools Liner (Pool finishing) :
10 Year Warranty

- > Fabric is designed and Produced under the license from Australia
- > 100% leak-free, durable and fitted to structure
- > Easy clean, anti-bacteria
- > No more tiles cracking or leak problem, Soft touch and anti-slip




PVC Liner **Layer Structure**

4th layer : enhanced 4 layered acrylic coating designed for increased abrasion resistance, staining resistance and UV stability.


3rd layer : 750mic PVC layer, UV resistance formulated as well as high light fastness print pigments, anti-fungal and chlorine color fading resistance.

2nd layer : Non wick polyester scrim designed for super low shrink & high dimensional stability properties.

Bottom layer : 750mic PVC layer, UV resistance formulated as well as Anti-fungal and chlorine color fading resistance.




PVC Liner Comparison



J.D.Pools Liner

High density and Anti slip surface





Other Liner

Less density and slippery surface

iP Smart ICE BLUE

Superior pool lining featuring enhanced UV, Color fastness, Chlorine and bacterial resistance, Thickness 1 mm and 1.5 mm.



3

Filtration System


Filtration System

TE Filter - Technology Embedded


- > Invisible filter case, Luxury design and smooth with the pool
- > No obstructed hanging look
- > Flat on top side, smooth with terrace
- > Made from fiberglass, resistant to extreme sunlight conditions.
- > Space saving: no pump room, balance tank and less pipe
- > 2 Filter bags show highest performance




Filtration System



Front



Top





Patent of Filtration System

Swimming pool filtration system or water filtration system has been registered as an intellectual property under the “**Patent Rights**” of J.D.Pools



Da Vinci Blue

The revolutionary of swimming pool. When luxury and technology fused into one.



Since 1997 | ISO 9001

www.jdpools.com



Da Vinci Blue

The revolutionary of swimming pool.
When luxury and technology fused into one.

The design reflects the luxury of life. Reveals a striking difference with innovative products imported from all over the world. Enhancing to a stronger structural, intelligent iPanel, installed by a professional team. The design will transform your pool to stand out from the rest



No more issues
with pool
subsidence and
cracking



100% leak-proof
prevention



12-year
warranty
PVC Liner



Stone Tile **MARINE**

Stone Tile range is formulated with exceptional ingredients including enhanced surface coating, ensuring superior stain resistance, superior UV resistance, and a stone perforated dry-feel non-slip grip.

The dimensions of the tiles 15cm by 15cm.



New Arrival





Stone Tile **ELEGANCE**

Stone Tile range is formulated with exceptional ingredients including enhanced surface coating, ensuring superior stain resistance, superior UV resistance, and a stone perforated dry-feel non-slip grip.

The dimensions of the tiles vary, mostly ~40cm by ~20cm.



New Arrival




Stone Tile GREY

Stone Tile range is formulated with exceptional ingredients including enhanced surface coating, ensuring superior stain resistance, superior UV resistance, and a stone perforated dry-feel non-slip grip.

The dimensions of the tiles vary, mostly ~40cm by ~20cm.



New Arrival



Stone Tile GOLDEN

Stone Tile range is formulated with exceptional ingredients including enhanced surface coating, ensuring superior stain resistance, superior UV resistance, and a stone perforated dry-feel non-slip grip.

The dimensions of the tiles vary, mostly ~40cm by ~20cm.





New Arrival



12 YEARS Waterproofing	35°c Temp.	NF 15836-2 YES ✓	Antislip Propertiesties YES ✓
----------------------------------	----------------------	--------------------------------------	---



Stone Flex **MARBLE**

We, J.D.Pools also saw the beauty in "Carrara Marble" and created the ultimate new design of the Premium 3D reinforced PVC liner, that looks and feels like real marble, joining the successful StoneFlex Range.




Stone Flex **BAZELET**

Unique Stone-like design formulated with specialized enhanced surface coating, demonstrating superior stain resistance and clean-ability properties, exceptional UV resistance, as well as dry non-slip grip.



Stone Flex PEARL


Unique Stone-like design formulated with specialized enhanced surface coating, demonstrating superior stain resistance and clean-ability properties, exceptional UV resistance, as well as dry non-slip grip.



Matrix **Metallic BLUE**

Our Matrix line includes a pearl and silver layer which produces a dynamic prismatic effect similar to the shine of real glazed mosaic tiles.

Matrix surfaces and the grout in their grooves are protected with an enhanced acrylic coating which provides superior stain resistance and makes them easy to clean.



12 YEARS
Waterproofing

34°C
Temp.



NF
15836-2
YES ✓

Antislip
Proprieties
YES ✓

Matrix Metallic GRAY

Our Matrix line includes a pearl and silver layer which produces a dynamic prismatic effect similar to the shine of real glazed mosaic tiles.




Matrix surfaces and the grout in their grooves are protected with an enhanced acrylic coating which provides superior stain resistance and makes them easy to clean.



Matrix BLUE

Our Matrix line includes a pearl and silver layer which produces a dynamic prismatic effect similar to the shine of real glazed mosaic tiles.

Matrix surfaces and the grout in their grooves are protected with an enhanced acrylic coating which provides superior stain resistance and makes them easy to clean.





Crystal Pool

"New technology tile pool" by J.D. Pools.




Since 1997 | ISO 9001


www.jdpools.com

Crystal Pool System for iPANEL POOL

- S1 STEEL Brand-new self-adhesive waterproofing membrane (adhesive resistant to ground water)
- Band hyperflex 12cm corner membrane
- X-coll Waterproofing adhesive
- S2 membrane Floor Waterproofing Membrane resistant to sun exposure



องค์ประกอบ Crystal Pool



Crystal Pool Installation

01. Thoroughly clean the IP pool floor and walls



02. Install S1 STEEL sheets on all IP walls



Crystal Pool Installation

- 03.** Apply X-Coll mortar at the joints of S1 STEEL sheets, cover with Band Hyperflex, and reapply X-Coll for reinforcement



Crystal Pool Installation

- 04.** Pour a 4 mm layer of X-Coll premixed concrete (mix in small amounts to prevent quick drying) and install the S2 Membrane sheets



Crystal Pool Installation

- 05.** At the joints of S2 Membrane sheets, apply X-Coll, cover with Band Hyperflex, and reapply X-Coll for additional sealing



- 06.** Apply X-Coll mortar at the wall-to-floor joints, cover with Band Hyperflex, and reapply X-Coll for reinforcement



Crystal Pool Installation

- 07.** On spa benches and concrete steps, apply a 4 mm layer of X-Coll premixed concrete (mix in small amounts to prevent quick drying) and install the S2 Membrane sheets



Crystal Pool Installation

- 08.** At the joints between the spa bench walls and the floor, apply X-Coll, cover with Band Hyperflex, and reapply X-Coll



- 09.** Apply a 4 mm layer of X-Coll premixed concrete over the entire floor and walls



Crystal Pool Installation

- 10.** Install tiles using Webertai Flex premixed adhesive



- 11.** Grout the tiles with Weberprox Easy and clean off excess grout



Crystal Pool Installation



Fiberglass Pool Series

Pool type of Fiberglass Pool



Composite Pool

Premium Fiberglass Pool
Fast installation



Cardio Pool

Swimming pool for exercise
and hydrotherapy



Family Pool

Swimming pool for
the whole family



Composite Pool

Premium Fiberglass Pool
15 Year structural Warranty, Fast Installation



Since 1997 | ISO 9001

www.jdpools.com



Composite Pool

Our A.C.P. (Advanced Composite Pool) is the best Composite Pool on the market and come in a variety of shape and size. We have shipped pools from coast and many locations abroad Our Composite Pool are a cost effective, friendly pool choice, great for your family and the environment



strong, flexible
and leak-free



Fast Installation
within 7 days



15 Year structural
Warranty

Pool Innovation from Australia

J.D.Pools – Builds the most Fiberglass Composite Pool in the industry (ASEAN),


Standard and technology from Australia to manufacturing every step from J.D. Pools factory, 100% under ISO international quality standards



- > 15 Year structural Warranty : strong, flexible and leak-free
- > Fast Installation Times, within 7 days
- > Scratch-free, Smooth, non-abrasive to skin and swim wear
- > Low maintenance and reduce amount of sanitizing chemicals required.



ภาพแสดงชั้นผนังสระ



ISO-NPG Gel coat 0.8-1.5 mm.

Premium Grade Pool Gelcoat
Provides superior resistance to UV, water and pool chemicals,
High osmosis and calking resistance.



Vinyl Ester Corrosive Resistant Barrier 2-3 mm.

Prevents chemical, corrosion and water leakage.



Unsaturated Polyester Resin (Structure) 3-4 mm.

Strength structure



Polyester Laminate Resin (Topcoat) 2-4 mm.

Waterproof and dirt entering the inside of the pool. as well as
being a reinforced structure for the strength of the pool

Color Range

Choose you favorite color

*** These gelcoat colour sample effects are indicative only.*



allnex is the leading company globally for industrial coating resins, crosslinkers and additives



Royal Blue



Tropical Shimmer

New Arrival



Bahamas




Midnight Shimmer



Swim Plus

5.50x2.20 m. Dept 1.25 m.



Eco Composite Pools 1

- The best-selling model for the international market
- Possible paradise in a limited space
- Fully relax with seat and lounge spa style



Swim Spa

5.50x2.69 m. Dept 1.20 m.




Eco Composite Pools 2

- Possible paradise in a limited space
- Enjoy your spa massage with family bench style



Harvest

7.33x3.78m. Dept 1.14-1.56m.




The private home water park for your family

- Kidney bean shape perfect for the family with children who begin to swim
- Ensures safety with the seats at deep zone



OZ

8.30x4.40m. Dept 1.13-1.63m.




Somewhere pleasant to relax and exercise

- Luxury pool stairs and Party in the pool along the seating
- Great for the middle-size family and resort living niche



Caesar

9.60x4.25m. Dept 0.96-1.57m.




Luxury Roman Emperor Design

- Stylishly design for the athletic man, who likes the boutique atmosphere
- Roman style stair curved down to the pool on both sides



Classic

9.95x4.40m. Dept 0.96-1.77m.



Healthy and slender.. classic swimming pool

- Greatest rectangular shape pool for one who loves to swim
- Ensures safety with the seats in the deep zone

Installation Process



01. Pool Delivery



02. Ground Preparation and Excavation



03. Hole Surface Preparation and Sand Bed



04. The Pool is lowered into the hole



05. Filtration, Plumbing and Light installation



06. Begin filling with water and back filling



07. Ready to enjoy




Cardio Pool

Swimming pool for exercise and hydrotherapy



Since 1997 | ISO 9001

www.jdpools.com



Cardio Pool

Cardio Pool is a swimming pool primarily built and used for fitness and health purposes. Typically, Cardio Pool are a rectangular shape. They are a good solution for narrow or shallow residential lots in which the homeowner desires a swimming pool to get frequent exercise in the privacy of own backyard.



strong, flexible
and leak-free



Fast Installation
within 7 days



15 Year structural
Warranty

Cardio Pool Model



Fit Series3

3.0x2.2 m Dept. 1.25 m (Step)

Pool Size	3.00x2.20 m
Depth	1.25 m
Pool Volume	6.82 m ³



Fit Series4

4.0x2.2 m Dept. 1.25 m (Step)

Pool Size	4.00x2.20 m
Depth	1.25 m
Pool Volume	9.57 m ³



Fit Series5

5.0x2.2 m Dept. 1.25 m (Step)

Pool Size	5.00x2.20 m
Depth	1.25 m
Pool Volume	13 m ³

Cardio Pool Model



Fit Series 7

7.0x2.2 m Dept. 1.25 m (Step)

Pool Size	7.00x2.20 m
Depth	1.25 m
Pool Volume	15.70 m ³



Lap Series 9

9.0x2.2 m Dept. 1.25 m (Step)

Pool Size	9.00x2.20 m
Depth	1.25 m
Pool Volume	20.56 m ³



Lap Series 11

11.0x2.2 m Dept. 1.25 m (Step)

Pool Size	11.00x2.20 m
Depth	1.25 m
Pool Volume	25.44 m ³

Cardio Pool X3 Model



X3 Series6

6.25x3.25 m. Dept 1.25 m. (Step)

Pool Size	6.00x3.00 m
Depth	1.25 m
Pool Volume	18.10 m ³ .



X3 Series8

8.25x3.25 m. Dept 1.25 m. (Step)

Pool Size	8.00x3.00 m
Depth	1.25 m
Pool Volume	24.76 m ³



Family Pool F9

Relationship of Design,
Swimming pool for the whole family



Since 1997 | ISO 9001

www.jdpools.com



Family Pool F9

Swimming pool for the whole family, versatile luxurious design and combines for multi purpose. Sporty long rectangular shape that can swim along the line, connect to a relaxing whirlpool spa and kid zone with superior luxury spa features.

- Jacuzzi Spa
- Lounger
- Foot Massage Jet
- Kid Zone
- Multi Color LED



Complete in
every function




Fast Installation
within 7 days



15 Year structural
Warranty

Pool Detail



External Size	9.33 x 3.33 m.
Internal Size	9.00 x 3.00 m.
Swim Area	7.00 x 3.00 m. (1.25 m. Dept)
Spa Pool Size	2.20 x 2.10 m. (0.90 m. Dept)
Lounger	1 Seat
Spa Seat	3 Seat
Entry Step	0.75 m. Wide 0.25 m. Step High
Pool Volume	27 Cubic Meter
Pool Perimeter	25.32 Meter
Pool Filter	1 Filter Skimmer
Pool Pump	Badu 47/16
Inlet	1 JD Eyeball + 1 Bypass in Spa
Pool Light	3 Light



Aqua Touch

HOT&COLD – MINERAL –SPA POOL



Since 1997 | ISO 9001

www.jdpools.com

Aqua Touch

HOT & COLD – MINERAL –SPA POOL

- Luxurious design
- Compact size
- Save energy with inverter technology
- Use up to 5 people at the same time
- There is a filtration and water treatment system. don't leave water
- Sterilize with ozone and has a mineral water system to nourish the skin
- Heats water up to 40°C
- Cools water up to 8°C



Water
temperature
hot/warm/cold



Mineral water
system



15 Year structural
Warranty



Aqua Touch Component


Pool Cover

Pool cover to help control the temperature.



Nano Ceramic

Waterproof, Fire Resistant, Breathable, Heat Insulator, Heat reflexion >80%




Heat Pump

Pool heat pump control water temperature hot/warm/cold




Mineral Swim

Combines 100% natural Dead Sea minerals with ozone-to-oxygen water purification



Intelligent Filter



Pool Detail



Pool Size	2.07x 1.89 m.
Dept.	0.91 m.
Lounger	1 Seat
Spa Seat	4 Seat
Pool Filter	1 Filter Skimmer
Pool Light	1 Light

Aqua Touch **DIY**

01.



02.



03.





iSteel Pool

Exclusive steel frame pool



Since 1997 | ISO 9001

www.jdpools.com



iSteel Pool

iSteel Pool: Galvanized Steel Prefabricated Swimming Pool - Easy Installation, Fast and Cost-Effective

- Modern design with elegantly curved pool ends
- Customizable pool length to fit your needs
- Suitable for above-ground, in-ground, and rooftop installations
- Lightweight structure for quick and easy installation

5.00 x 3.00 Dept 1.20 u.

6.00 x 3.00 Dept 1.20 u.

7.00 x 3.00 Dept 1.20 u.

8.00 x 3.00 Dept 1.20 u.

1

Structure



iSteel Pool features a specially manufactured steel panel structure designed exclusively for swimming pools. The panels are galvanized for durability, with a thickness of 0.6 mm for pools up to 1.20 meters deep. The backside is coated with a protective plastic layer to enhance longevity. Additionally, the installation system uses plastic profiles and aluminum plugs, eliminating the need for screws.



2

Pool finishing

The pool is lined with a factory-manufactured PVC liner with a thickness of 1.0 mm. This liner is UV-resistant, flexible, and quick to install, ensuring durability and easy maintenance.



3

Filtration System

- 26-inch Top Mount Sand Filter with a 1.5-inch multiport valve and a one-piece tank structure for high filtration efficiency and easy maintenance
- 0.75 HP Water Pump – durable, low-noise, and cost-effective, featuring a large front basket and a high-efficiency motor.
- Swimming Pool Control Panel
- Fiberglass Base Platform (0.9 x 1.1 m) for the filtration system, complete with a fiberglass waterproof cabinet and pre-assembled piping system for easy installation.





Pool Filter

J.D.Pools filtration system variety of models suitable for use with all types of swimming pools



Since 1997 | ISO 9001

www.jdpools.com

IP Liner Pool Filter

TE25 Filter

- Invisible filter case, Luxury design and smooth with the pool
- No obstructed hanging look
- Flat on top side, smooth with terrace
- 2 Filter bags show highest performance
- Double return Eyeballs, blow up dirt back to skimmer

MODEL	TE25
Power (Hp)	1.75 (47/22)
Rate (m ³ /hr)	25
Precision of filtration	5μ
Pool Volume (m ³)	100
Pool Light	LED



IP Liner Pool Filter

TE25-R Filter

- Invisible filter case, Luxury design and smooth with the pool
- It can be installed in pools with narrow balconies or limited space
- The pump room is separate for easy maintenance.
- Maximum filtration efficiency of 5 microns with a dual-bag filter system
- Automatic controller box

MODEL	TE25-R
Power (Hp)	1.75 (47/22)
Rate (m ³ /hr)	25
Precision of filtration	5μ
Pool Volume (m ³)	100



IP Liner Pool Filter

TE20-R Filter

Compact Filtration system

- Hight Flow eye-ball inlet
- Wide mount skimmer inlet
- Small side for narrow Deck
- Hight efficiency circulation pump
- Separated pump room easy install and maintenance

MODEL	TE20-R
Power (Hp)	1.25 (47/16)
Rate (m ³ /hr)	20
Precision of filtration	5μ
Pool Volume (m ³)	80





Concrete Tile Pool Filter

CT25 Filter

- Flat Lid Design - A low-profile, seamless lid that provides easy access for maintenance while maintaining a sleek, modern look.
- Smart Sealing Mechanism - Ensures a secure, leak-proof fit with minimal effort, reducing maintenance time.
- Efficient Filtration System – Incorporates advanced filter media to optimize water clarity and minimize clogging.
- Designed with high-quality materials to withstand outdoor conditions and long-term use.

MODEL	CT25 Filter
Power (Hp)	1.75 (47/22)
Rate (m ³ /hr)	25
Precision of filtration	5μ
Pool Volume (m ³)	100
Net Weight (kg)	90



Concrete Liner Pool Filter

CL25 Filter

- Flat Lid Design - A low-profile, seamless lid that provides easy access for maintenance while maintaining a sleek, modern look.
- Smart Sealing Mechanism - Ensures a secure, leak-proof fit with minimal effort, reducing maintenance time.
- Efficient Filtration System – Incorporates advanced filter media to optimize water clarity and minimize clogging.
- Designed with high-quality materials to withstand outdoor conditions and long-term use.

MODEL	CL25 Filter
Power (Hp)	1.75 (47/22)
Rate (m ³ /hr)	25
Precision of filtration	5μ
Pool Volume (m ³)	100
Net Weight (kg)	90



Smart Filter

SF20

- New Technology for concrete pool system
- Space saving: no pump room, balance tank and less pipe
- Time saving, easy and quick to install
- Automatic controller box

MODEL	SF20
Power (Hp)	1.25 (47/16)
Rate (m ³ /hr)	20
Precision of filtration	5μ
Pool Volume (m ³)	80
Net Weight (kg)	65

Portable Filter

PF20 BIKINI

- Attractive slim and sporty design
- Best for pool renovation
- Easy to adapted and installed to any pool
- No pipe, avoid risk of coring process
- Built in LED light
- Swim jet can be added
- Automatic controller box

MODEL	PF20 BIKINI
Power (Hp)	1.25 (47/16)
Rate (m ³ /hr)	20
Precision of filtration	5μ
Pool Volume (m ³)	80
Net Weight (kg)	65
Pool Light	LED





Salt Chlorinator

The Natural Salt Chlorinator Naturally take care
of water conditions



Since 1997 | ISO 9001

www.jdpools.com

Salt Chlorinator

The Natural Salt Chlorinator Naturally take care of water conditions. It sustains the pool with no chlorine treatment, no acid smell, and no sensitive effects to eyes, hair and skin like darken the spot melanin; from along time swimming. In addition to this, corporately works well with the respiratory system which children or allergy patients are able to swim in this Natural Salt Chlorinator pool. This great innovation Natural Salt Chlorinator can be best staying in accordance with the Liner or Composite finishing.





FEATURE	X30CL	X20CL	X10CL
Maximum working pressure	480kPa		
Water temperature range	5°- 35°C		
Maximum ambient temperature	55°C		
IP rating	IP24		
Main volts 50Hz 16A	230V 50Hz		
Power output	300VA	200VA	100VA
Volt output	17V DC		
Current output (maximum)	18Amp	12Amp	6Amp
Pump Voltage	230V 50Hz		
Salt level	4000 ppm		
Cell Material	Titanium		
Chlorine produce	30 g/hr	20 g/hr	10 g/hr
Pool volume	90,000 L	60,000 L	30,000 L
Max flow rate	450 LPM	300 LPM	150 LPM
Two digital time clocks for pool filter	Yes		
Variable self cleaning salt cell timer	Yes		
Variable chlorine output control	Yes		
Pump run dry protection	Yes		
12v 100w supply for Pool Light	Yes		
Pool Light timer	Yes		



Salt-AI Chlorinator

Salt Chlorine Generation System for
Safe and Healthy Water



Since 1997 | ISO 9001

www.jdpools.com

Salt-AI Chlorinator

Salt Chlorine Generation System for Safe and Healthy Water

- Maintains crystal-clear water while reducing the use of harsh chemicals, ensuring no irritation to the skin and eyes
- Convenient control via a mobile application, allowing you to adjust the operation of the chlorine generation cell, pump, and underwater lighting.
- Supports multiple operation modes:
 - Boost: Enhances the cell's performance for rapid operation.
 - Auto: Automatically schedules the operation of the cell, pump, and underwater lighting.
 - AI: An intelligent system that analyzes salt levels and optimizes operating hours accordingly.



FEATURE	45 g	30 g	20 g	10 g
Maximum working pressure	490 kPa			
Water temperature range	13°- 55°C			
Maximum ambient temperature	60°C			
IP rating	IP24			
Main volts 50Hz 16A	230V 50Hz			
Power output (maximum 10A)	277VA	217VA	155VA	85VA
Volt output	28V DC			
Current output (maximum)	6.67 A	5:00 AM	3.3 A	1.67 A
Pump Voltage	230V, 50Hz, 10A, 2 HP (P2 = 1500w)			
Salt level	3500 ppm			
Cell Material	Titanium			
Chlorine produce	45 g/hr	30 g/hr	20 g/hr	10 g/hr
Pool volume	168,750 L	112,500 L	75,000 L	37,500 L
Max flow rate	450 LPM			
Two digital time clocks for pool filter	Yes			
Variable self cleaning salt cell timer	Yes			
Variable chlorine output control	0-100%			
Pump run dry protection	Yes			
12v 96w supply for Pool Light operation	Yes			
Pool light timer	Yes			
Wi-Fi connection	Yes			
Error notification	Yes			
Operating mode	Boost , Auto , AI			
Average salt salinity	Yes			
Record electrical statistics of devices	Yes			



Mineral Swim

100% Dead Sea Minerals




Since 1997 | ISO 9001

www.jdpools.com

Mineral Swim

A truly unique swimming experience.

Combines 100% natural Dead Sea minerals with ozone-to-oxygen water purification and natural skincare to create therapeutic, healthy and crystal clear swimming experiences.



3 Unique Element

A Truly Unique Swimming Experience Recreate the relaxing natural, healthy pool experience that people have enjoyed for thousands of years at the Dead Sea. The Mineral Swim System is the combination of three unique elements:



01. Minerals

Mineral Swim is the New Natural - Just one ingredient - mineral rich 100% Dead Sea Minerals

02. Ozone

Ozone's natural power up to 3000 times more powerful than traditional sanitation systems

03. Service

Exceptional Experience - Customer care service for peace of mind



100% Dead Sea Minerals

Delivering a range of health and well-being benefits. The magnesium rich Dead Sea minerals have been known to:

- Enhance pool water quality – softer and more gentle than traditional salt and chlorine pools - ideal for sensitive skin.
- Reduce chemical and water usage - offering a more environmentally friendly solution.
- Provide exceptional water clarity - magnesium is a natural flocculant.
- Help to ease muscle tension.
- Stimulate skin hydration and soften the skin.
- Recreate a natural mineral pool that people have enjoyed for centuries at the Dead Sea.
- Detoxify and regenerate the skin, boosting it's natural defence system.




Ozone-to-Oxygen Purification

Ozone is the smart, environmentally friendly choice for pools and spas. Using technology to produce ozone (O₃), a naturally occurring and extremely powerful oxidiser that when combined with mineral sanitation provides the ultimate in pool care.

- Healthier pool water
- Dual purification and safe sanitisation
- Crystal clear and odour-free
- Gentle on eyes and soft on skin
- Enhances water balance
- Compatible with any existing pool system

How ozone work?

- **GENERATION** - Oxygen converted to pure Ozone
- **PURIFICATION** - Ozone immediately oxidises and neutralizes harmful contaminants (organics, bacteria and viruses)
- **REVERT TO NATURE** - Ozone breaks down into Oxygen after sanitising pollutants
- **RESULTS** - Noticeably softer and clearer pool water with no residual odour





Mineral + Ozone = Total Solution

The 2000 and 3000 Series is designed to replace existing sanitisation systems. These units have the benefit of both mineral Chlorination and Ozone purification.

MODEL	POOL SIZE
1000 Series	Less than 45 Cubic Meter
2000 Series	45-90 Cubic Meter
3000 Series	90-110 Cubic Meter



Fastlane

A swim current generator for any pool




Since 1997 | ISO 9001

www.jdpools.com


Fastlane

The Fastlane produces a smooth, quiet, adjustable-speed current. Set the water speed to any pace you choose, and swim at home. Fully adjustable for swimmers of all abilities, from beginners to Olympians, the Fastlane also provides resistance for aqua aerobics, hydrotherapy, and water jogging / running.



The Fastlane is so easy to operate

- Press the ON/OFF button on your remote control to start the current
- Adjust the speed to your desired pace
- Swim into the current and keep swimming
- Change speed with the FASTER and SLOWER buttons
- To stop, simply swim out of the current and press the ON/OFF button



New Pool, Old Pool, Your Pool



EXISTING POOLS

Have a traditional pool already? No problem! The **Deck-Mount Fastlane Pro** model easily attaches to almost any existing pool deck. With fast installation, you can reinvigorate your backyard pool in just a few hours!





NEW POOL CONSTRUCTION

For a seamless appearance, your pool builder can embed the **Wall-Mount Fastlane Pro** model directly into your pool wall. New pool builds give you the most attractive and versatile installation options.

Size & Installation

Fastlane




Wall Mount Fastlane

The wall mount Fastlane

- For new construction or renovation jobs
- No deck obstructions
- Choice of colors

1. Swim Unit
2. Intake grill
3. Outlet grill
4. Stainless steel grab bar
5. Wall Mount Bracket
6. Power Unit
7. Hydraulic Hose System




Deck Mount Fastlane

The deck mount Fastlane

- Simple, drop-in convenience
- Adaptable to all coping systems
- Can easily be relocated

1. Swim Unit
2. Intake grill
3. Outlet grill
4. Deck Cover
5. Hydraulic Hoses
6. Power Unit





Automatic Pool Cover

Technology from Norway



Since 1997 | ISO 9001

www.jdpools.com

Automatic Pool Cover

Keep your pool clean – keep dirt, leaves and debris away from your pool. Simply close the cover whenever you do not use the pool, to keep it crystal clear. The cover reduces pool cleaning and maintenance. Provides safety-super strong to protect children, pet and help prevent pool related accidents. Saves chemicals – Save money on chemicals because usage is reduced due to the lowered evaporation. The pool chemical generally last twice as long.





Automatic Pool Cover

Quality form Europe

- Size up to 6x14 m.
- Easy to open, easy to close
- High quality, double reinforced PVC fabric
- Aluminum and stainless-steel construction
- Slim design that fits easy into your environment

Automatic Pool Cover

Open-Close in 30 seconds





Manual Safety Pool Cover

Easy pool cover with Rolle



Since 1997 | ISO 9001

www.jdpools.com

Advantages

- **Protects Your Family and Pets.** Reduces the risk of accidents.
- **Keeps the Pool Clean.** Prevents leaves, dust, and debris from entering the pool, reducing cleaning efforts.
- **Minimizes Water Evaporation.** Helps maintain a stable water level, reducing the need for frequent refilling and conserving water.
- **Reduces the Use of Pool Chemicals.** Helps maintain the effectiveness of chemicals for a longer time, cutting chlorine and chemical usage by up to 70%.
- **Prevents Algae Growth.** Limits sunlight exposure on the water surface, making it harder for algae and bacteria to thrive.
- **Easy to Install and Use.** Available in both manual and automatic systems, allowing for effortless opening and closing while saving space.
- **Saves Energy and Costs.**





Manual Safety Pool Cover



Size up to
maximum of 10x4 m

Easy covers can be rolled up in 2-3 minutes by just one person using a manual crank. The pool can be quickly covered by just one person using its return strap. Easy cover is so light that you can easily move it to any preferred storage area.

Manual can be delivered with two types of safety tracks. Top Track both in anodized and extruded aluminium. Durable for use and resistant to environmental conditions.

Easy pool cover with Roller



The pool can be quickly covered by just one person using its return strap. Easy cover is so light that you can easily move it to any preferred storage area.



Easy covers can be rolled up in 2-3 minutes by just one person using a manual crank



Automatic Slatted Pool Cover

ระบบสแลตปิดสระอัตโนมัติ
สระสะอาด ปลอดภัย เพื่อทุกคนในครอบครัว



Since 1997 | ISO 9001

www.jdpools.com



TIXIT

A modern and elegant design to sublime your garden



For pools from 2x3m
up to 5x13.5m

A true summary of the DEL know-how, the Tixit above-ground automatic slatted cover combines state-of-the-art technology with a modern and innovative design. Available in solar or electric versions, it is perfectly suited to construction or renovation projects. The lighting of the bollard highlights the pool and your garden (only available for the electric version).

- Modern and innovative design
- Elegance and discretion thanks to slim bollards
- Optional Bluetooth® speaker
- DEL lighting highlights the design of the bornes
- Selected colors for perfect integration in the garden
- Available in electric and solar versions

TIXIT End-stand



AESTHETIC

- Elegant, discreet and 100 % recyclable end-stands imagined by our own designers.
- LED lighting to emphasize the end-stand pure design for the electric version.



CUSTOMISABLE

- Available in electric or solar version.
- For each version, a choice of 3 end-stand colors for a perfect integration in your garden.



FINISHES

- All materials and components have been carefully selected for a perfect stability and an optimal rendering.
- The textured power-coated aluminium finishing gives the end-stands a decidedly contemporary appearance.



White




Grey



Black

TIXIT Components



Your Slats Choice

Opaque

PVC 84 slats




Opaque

PVC 69 slats



Solar

Polycarbonate Slats







1 SLIDING ASSEMBLY

ADVANTAGES

- The slats are assembled faster and easier than the traditional clipping solution especially for long slats.
- No risk of damaging the slats during assembly.
- It is very easy to remove a damaged slat without damaging the other slats.



1 CLIPPING ASSEMBLY





Pool Heating

Swimming Pool Heat Pump Hot/Cold



Since 1997 | ISO 9001

www.jdpools.com

Pool Heating


Swimming Pool Heat Pump Hot/Cold

J.D.Pools Heat Pump, specially designed for energy efficient yet powerful heat pumps suitable for most residential pool and spa. Temperature can heat up to 40 degree and both chlorine and saltwater pool are accepted. Compares to other heaters, heat pumps can operate for up to 80% less. Our model feature both heating and cooling functions. Can provide all year swimming for the most domestic pool across Thailand.



Pool Heating

- Full DC Twin-Rotary Inverter Compressor and Brushless DC Inverter Motor with infinitely variable speed
- Soft-starter (wide start-up voltage range)
- Intelligent controller
- Wifi capability with dedicated user-friendly app
- 3 operating modes (Silent / Smart / Boost)
- Heating and cooling function
- Higher COP
- Lower noise (inverter technology and insulated compressor)
- Smart defrost
- Very low working temperatures up to -15°C
- Environmentally-friendly R32 or R410 gas



Pool Heating Specification

MODEL		i5	i7	i9	i11	i17	i25	i29
Advised Pool Volume (m3) with insulating/isotheramal cover		10~20	15~30	20~40	25~50	35~70	65~110	70~120
PERFORMANCE								
Heating* Air 26°C/Water 26°C Humidity 80%	Capacity (kW)	1.6~5.3	1.6~7.2	1.9~9.2	2.7~10.9	4.3~17.4	6.2~25.1	6.6~29
	Power input (kW)	0.13~0.88	0.13~1.19	0.13~1.28	0.18~1.74	0.29~2.85	0.4~3.8	0.46~4.42
	COP	6.25~14.5	6.22~14.55	6.24~14.71	6.27~14.8	6.0~14.5	6.2~14.52	6.1~14.54
Heating* Air 15°C/Water 26°C Humidity 70%	Capacity (kW)	1.1~3.8	1.3~5.1	1.6~5.95	2.18~8.13	3.49~13	5.15~18.52	5.43~21.28
	Power input (kW)	0.14~0.75	0.17~1.06	0.21~1.2	0.28~1.59	0.47~2.64	0.61~3.6	0.73~4.1
	COP	5.1~7.9	4.8~7.8	5~7.7	4.9~7.8	4.85~7.44	4.91~7.53	4.95~7.51
Cooling* Air 35°C/Water 28°C Humidity 80%	Capacity (kW)	1.5~2.8	1.7~3.6	1.8~4.6	2.4~6.0	3.9~9.6	5.8~13.9	6.2~16
	Power input (kW)	0.2~0.62	0.22~0.8	0.28~1.2	0.33~1.39	0.51~2.3	0.73~3.1	0.82~3.48
	EER	4.51~7.55	4.48~7.53	4.47~7.46	4.32~7.34	4.24~7.4	4.15~7.22	4.29~7.54



Pool Cleaning Robot

Superior Pool Cleaning Made Easy



Since 1997 | ISO 9001

www.jdpools.com

Pool Cleaning Robot

J.D.Pools provides solutions for swimming pool care. Our range of automatic pool cleaners, environment-friendly water treatment systems and pool safety products – delivers an exceptional pool experience.



Active 10

90° Wall Scrubbing

- Optional to replace the filter from fine to ultra fine Basket
- Upgrade filtration with fine and ultra-fine dirt capture
- Active brush rotates at 2x the speed of the robot, resulting in enhanced cleaning capabilities



Active 20

Power Stream System

- Optional to replace the filter from fine to ultra fine cartridge
- Active brush rotates at 2x the speed of the robot
- Complete coverage of all pool surfaces – with PowerStream mobility system



Active 30i

Smartphone Intelligent Control

- Multi-layer filtration with fine and ultra-fine dirt capture
- Active brush rotates at 2x the speed of the robot, resulting in enhanced cleaning capabilities
- Complete coverage of all pool surfaces with PowerStream mobility system



Active Series

Active 10



Active 20



Active 30i



Ideal Pool Length	Up to 8m	Up to 12m	Up to 12m
Cleaning Coverage	Floor	Floor & Wall	Floor, Wall & Waterline
Cleaning Cycle	1.5hrs	2hrs	1.5/2/2.5hrs
Power Supply Feature	On/Off Power Supply	On/Off Power Supply	Cycle Sector, Weekly Timer, Delay Start, LED Filter Indicator + More
App connectivity for control and programming	NA	NA	Always Connected MyDolphin™ Plus app - Full featured programming
Navigation and maneuverability	CleverClean™ scanning	CleverClean™ scanning and PowerStream mobility	CleverClean™ scanning and PowerStream mobility
Brushes	All terrain PVC with active scrubbing	All terrain PVC with active scrubbing	All terrain PVC brush with dual active scrubbing
Filtration	Easy clean net filter canister	Dual level filter with interchangeable fine and ultra-fine filters	Multi-layer filter basket for fine and coarse debris
Caddy	Optional	Optional	Included
Cable	12m	18m	18m
Suction Rate	15 m3/hr	15 m3/hr	15 m3/hr
Robot Weight	6.5 kg	7.5 kg	7.5 kg
Warranty	2 Years(Limited)	2 Years	2 Years
FEATURES			
Climate Care Certified	✓	✓	✓
Always Connected			✓
My Dolphin Plus App			✓
Power Stream		✓	✓
Mobility System		✓	✓
CleverClean™ - Precise Navigation System	✓	✓	✓

Commercial C5

The C5 Robot Pool Cleaner is proven profession pool cleaner that is suited to mid-sized pools up to 25m


- Cleverclean™ Coverage ensure the maximum area is cleaned on each cycle.
- Fully automated operation and highly effective brushing and filtering deliver heavy-duty cleaning performance.



Commercial C6 PLUS

The C6 Plus Robot Pool Cleaner is powerhouse all-round solution for larger aquatic pools up to 50 m.

- Heavy duty cleaning performance with robust reliability and ease maintenance for long-term effective use.
- Accurate, full coverage scanning, and high-capacity filtration ensures clean and hygienic pool water.



Commercial Series

Commercial C5



Commercial C6 PLUS



Ideal Pool Length	Up to 30m	Up to 50m
Cleaning Coverage	Floor, Wall & Waterline	Floor, Wall & Waterline
Cleaning Cycle	4/6/8hrs	4/6/8hrs
Power Supply Feature	On/Off with Filter Bag Indicator	On/Off with FilterBag Indicator
App connectivity for control and programming	NA - Comes with own RCU	NA - Comes with own RCU
Navigation and maneuverability	CleverClean scanning with advanced navigation technology&dynamic dual-drive motor	CleverClean scanning with advanced navigation technology&dynamic dual-drive motor
Brushes	Option to have Wonder Brush or Combined Brush	Option to have Wonder Brush orCombined Brush
Filtration	Fine or Ultra-Fine filter bag for rough and fine debris	Fine or Ultra-Fine filter bag for rough and fine debris
Caddy	Included	Included
Cable	30m + swivel	40m + swivel
Suction Rate	17 m3/hr	34 m3/hr
Robot Weight	11kg	20kg
Warranty	2 Years	2 Years
FEATURES		
Climate Care Certified	✓	✓
CleverClean™ - Precise Navigation System	✓	✓
Dynamic Dual Drive Motor	✓	✓
Filter Indicator	✓	✓

Chemical Treatment



Shock Chlorine

The chlorine used for water treatment dissolves quickly, has no effect on pH levels, contains no calcium, and thus does not clog filters or cause cloudiness in the water.



Long Lasting Chlorine

The blocks of long lasting chlorine are highly concentrated (available chlorine 84% minimum) and make permanent chlorination of the pools possible. Their use has no effect on the pH, does not clog the filters and does not cause cloudiness in the water.



pH Plus

pH Plus is used to adjust the pH level of pool water to be 7.2 for the optimum efficiency of water treatment. Add pH Plus when the pH level is below 7.2



pH Minus

pH Minus is used to adjust the pH level of pool water to be 7.2 for the optimum efficiency of water treatment. Add pH Minus when the pH level is above 7.6



J.D.Cleaner


Pool Cleaner is used to remove the build up of oils and scale from pool wall

Pool Maintenance & Accessories



Vacuum Brush

Collect and brush dirt and leaf on the floor



Vacuum Bloom head (Rollers)

Collect and brush dirt and leaf on the floor smoothly work with roller



Leave Rack

Collect leaf at the floating level



Wall Brush

Brush the wall and the pool floor



Thermometer



Bloom Handle



Chlorine & pH Test Kit



Vacuum Hose



Pool Maintenance Kits

Our Trusted Partners & Clients

